

2018.10 Release notes

Hipster 2018.10 is here

We are glad to announce that Hipster 2018.10 snapshot is available.

Image	Checksum	GPG-signature
OI-hipster-gui-20181023.iso	[SHA256]	[SIG]
OI-hipster-gui-20181023.usb	[SHA256]	[SIG]
OI-hipster-text-20181023.iso	[SHA256]	[SIG]
OI-hipster-text-20181023.usb	[SHA256]	[SIG]
OI-hipster-minimal-20181023.iso	[SHA256]	[SIG]
OI-hipster-minimal-20181023.usb	[SHA256]	[SIG]

List of mirrors: <https://wiki.openindiana.org/oi/Mirrors>

Security

This release is signed and verifiable by GPG. The OpenIndiana Release Engineering key has key id [0x3a021afadbe31887](#).

The public key:

```

-----BEGIN PGP PUBLIC KEY BLOCK-----
mQINBFkHrmsBEADCHjWlmu/SgnV0nshQO6Ma+mQ6NNumGN6NdCTaWyfvjLgde17o
RBLLLVbt0+OpB3EW2Im+X6Zxnisq+V2LsFsamqGJXH84y0ubPxZH9y8086CGBJPX
USsG9rldpLkBAKHtXdrDat4GyD5090Z9otH2RgBmjWTzEHqVBwrKEUUJkiWP0QUY
5kZ60suX3Dtqdc3uCEg4NNTMCPLOY3WJr6X2eDJ6DjZYFz+SmjCD9X5rCzLQqmvW
bAD0839815pUSZa+YJn6chgSGwqtWcg62al3EXB+TaqLyoiwO2Xw1qlWfUitMc6Q
rTYD+K4gh/8Fiz7Mn7MUYzPUT+vHBGui2/MzQycXGRH3kK3j7/a/lSN2AmxYJWag
wSMTDiOl6f/eAk/E5mnuGzGzSQkDcMAYiJUDW98Zwy7y4zMLT2D2il6FalZkTYj
3ALdcewFSdzjSm7vJxG2uHRNh7vNcZyOZkYgvBoD4Ndb0vkj2LaO1lIUvTyVPeS4
sbyTUw38asw3jPU2A6hd9YMZypfd5YsIyQCDrWGuVCCl3lfb4dfCra+3wwyExDz0
3YGzfVvXsGSex1jvQQQ/xbAtbDStBYj+JD16fH6mEJg0cEzp84rlTIOXCpksluFL
yJQ9xkHvMAUYQhBRHhRpm3H6B12hze/zp/RwIAIG53CSsbSY5c7hbJIMlWARAQAB
tB9PcGVuSW5kaWfUySBSZwXlYXNlIEVuz2luZWVyaW5niQI9BMBMCgAnBQJZB65r
AhsDBQkFo5qABQsJCAcDDBRUKCQgLBRYCAwEAAh4BAheAAoJEDoCGvrb4xiHfPkP
/A9MlvGKkuinRv70+R//CBKCFmW6MgHwDcvA4FEAkvlHCJ/vYeBahKd0LlOg642t
LmhLz+wVUhsGZlq4ORRLCM4s/SLXohMuaWNdghGulEhIYrTq8jhj2Ph10ChFXo9S
RhXn4Pnd7CtyNypECw291t08d70RcEGM4kWiZLQE755luU7TrXM2X7YecUeakzvv
mTbJ+SQhDpeAEP4qtHru+EvwbHtyemdYKMBPHXE98ucrqqCqFKDFdqXWpvdUe
TeSgme+PSz25V3DxDcuSqHp4+WM6vSfiz5T6Tk2u40vvy9kWePteYwFmVzXlBjg
mYwrIPmcQ6BliffzOfI/cZHyFbcLxBLDF3uuQb7I8JNYkZB70IHCTiflHIBKiUv
g/zZQq+04IelbSEXg+COZ0uFCjhdZapJlDXFXOKD5BJeOct9LnuDag4Usenq1
yBmFuWut0U/Z9NY7U3TES6Zag25i9/Qza59qFY6YW5n9WiSiucP2vYhi9p33iLEy
uUHMndk/XgRHA1if5tkRQqVsj5RkoDP5xAhADnJe2tW1lCZAE8yc0LA/VAiQLdA
9iz5NgNLgSDfDUAW0jGtH96xClGAm1v9ysnsnamH9SiKRs+HA4/eD4/kaQixjKwC
pcX95GCFCTHMYW4iVPV/m7gJx4IMGUdJZVHSGMCTak0uQINBFkHrmsBEADPJ23B
EVN3kM/zuvG8B41k9yk9NMNQLZlI/FnTJlHgTQH+HvRSix4bIs0o7U2t4+CB6wUy
5xRvCI07DKdoHzMBQXfVfIkUtilk9CFZx37oLaYBsldE6rL7ZchQKileICYAWze3
bnTe/b6ZaWNVslyMk79MJ/DF8z1RNeZsPfxBrXE5vh973+k0hkDZfi9bULdmQrOL
gniB55aSc2pGdl3UNqSx+CcyS+/Jrn4LDnPHj3mx7WGLJLc/Lw0uYzXsZM3FAj7/
zrsLgnP4/xdcCMTcbVbC6L7VBSIE+hE6ppdrKwoLp7C2cyA14DnHM+heqx8DqtF6
acIc8txyUB7zShGC5Fhp37YnhrHGnUrDxxYi990fNChXAbwtR5z8Leicijplc/NF
oibGSLLC8NvFkzuWIIuqZK8l2/UZMER7Nt7hhHszilsnAJenwvYCIvEqsJrdsTUF
iiYm5AifwhU018Ia5A9kvBqymMy2bYSbZZVic+WXb6StWHugjKSFJmCo2h66QsI
giHNJEvOxybANlSkxI6t38EipGvvWldlROBuL/RZOQvSjL7SRlc10eQF4ZtPBMFy
yI5p3DBZbIHChdaH5OE0U7zk+qt1hv0+HSh8Yc1OVbD6pziAay5L6S8jsBKDPjJr
70TUuHJL00teBe3SORS8BACkg6+/6Yk9a3lSiQARAQABIQILBBGCGAPBQJZB65r
AhsDBQkFo5qAAAOJEDoCGvrb4xiHUqCP/iOUf55a2rU5N/tlZsn2fd+06U2V4Iym
YYysJ5OZJj0baDmL+SSmNarem+ogRcpBmKX3LFNgGnEorVaeILQApri5JelCSEhC
Ex5Xwk1WOqXTRWV9flbVU/rTSiCNDUySaaJDCVOQ07TEQ/bDShkr0X+MyCzklgbZ
rZnj+spaPeDnpIkfwfG2aKiJ0hq9KATBwdRECP9f/R7LaAdmcbR89Ya4iPEmaDYO
gh/t83zH45XKiWxXwb9rn9U2szWLOfx8rMTTrhYWPBP+K7RX8mGoiphqtMOJYhNA
N7AVm+9LRVXRcnmWYflcQKF8Fglj9FBlaeNUAFefpvvcBffTFvPnpqOaSzm7nu6l
NwWT2N0IHdr9daET0ewL2pOmKE9P3abPmEjQYFMobg3ZiPs7e5Tep1vVfTC2y89
47Gow54KIVS2cbeSVCP1Cj/B8GmEjkAsGmjDtGTk45LiJptv6h5lH95YGUafI97U
xLSEJJ+mablISRqDcn81VlfjvAp6Hv/DW9sr6lutQuzZjxhFi5rslylC40rkOni/
pByJDW47+VERp2wxvJdVVUZEGe53IHTgrruHs/tWUSJNEswkHQ70sY5u7bEcPULW
Stua8WJo5U4cN0abgrRAXnXXBWi2bNbyE8xnH+OsOghblgRg3N99G/TthozipQlI
cuYxZQalebJS
=fC+/
-----END PGP PUBLIC KEY BLOCK-----

```

How to verify:

- Download <ISO>.sig file from mirror
- Run: `gpg2 --verify <ISO>.sig <ISO>`. You should see the following output:

```

gpg: Signature made October 23, 2018 at 03:15:31 PM UTC using RSA key ID DBE31887
gpg: Good signature from "OpenIndiana Release Engineering" [unknown]
Primary key fingerprint: F5E9 84E5 ADD2 9578 D45C C1FE 3A02 1AFA DBE3 1887

```

- Even if the output includes:

```

i gpg: WARNING: This key is not certified with a trusted signature!
gpg: There is no indication that the signature belongs to the owner.

```

The signature is still correct.

General system changes

Work on delivering 64-bit-only applications continues: another batch of 50 components was migrated to 64-bit while most newly added software defaults to 64-bit.

Note, that although ISO and USB images support booting in UEFI mode, it's still work in progress. VGA console is not supported when system is booted in UEFI mode and installer still misses some steps to create bootable UEFI images.

Python 3.5 is now delivered and numerous Python modules were updated. Image Packaging System was fixed to work with updated modules. A lot of fixes from OmniOS CE IPS and Oracle IPS were integrated to OI IPS.

Due to recent security fixes compatibility with some Solaris applications was broken. Most noticeable one is VirtualBox.

GCC 8 was added alongside GCC 6 and GCC 7: these compiler packages include modifications for building illumos.

Late news (known issues)

It was found that due to [bug in vmmnat](#) new OpenSSH client behind VMware NAT fails to communicate with outside servers (connection terminates with broken pipe after authentication). Recommended workaround is to add "IPQoS throughput" to your /etc/ssh/ssh_config.

Desktop software and libraries

- MATE 1.20 was integrated.
- Xorg 1.19.6 is still shipped as main X server; Xorg 1.20 is in testing and could not make it for the snapshot.
- Xorg libraries and applications are updated to latest.
- Most Xorg driver modules were updated to latest unless DRM limitations prevented it.
- compiz updated to 0.8.14 and made compatible with the MATE desktop.
- Freetype was updated to 2.8.1, fontconfig was updated to 2.13.1.
- awesome was updated to 4.2.
- PulseAudio was updated to 12.2.
- Gstreamer was updated to 1.14.4
- GTK+2 was updated to 2.24.32. GTK+3 was updated to 3.24.1, Nimbus theme was rebased on top of the B00merang Project theme and updated to work with new GTK+.
- glib2 was updated to 2.57.1.
- LightDM was updated to 1.26. LightDM GTK Greeter was updated to 2.0.5 and uses Nimbus theme.
- Firefox was updated to 52.9.0 (Firefox 60 ESR is in testing but not ready for the snapshot), Thunderbird was updated to 52.9.1.
- Pidgin was updated to 2.13.0.
- XScreenSaver was updated to 5.40.
- NVIDIA driver was updated to 340.107.
- Transmission was updated to 2.94.
- TigerVNC was updated to 1.8.0.
- open-vm-tools for VMware guests were updated to 10.3.0, desktop plugin was enabled.
- DBus was updated to 1.12.8, illumos HAL was made compatible.
- terminus and hack fonts were updated, FiraCode fonts were added.
- VLC 2.2.8 and multimedia libraries were migrated to 64-bit; VLC 3.0.4 is still in testing.
- Inkscape was updated to 0.92.3.
- libusb-1 was updated to 1.0.22.

Common tools and libraries

- Many utilities are now 64-bit-only.
- zsh, bash and pdsh shells were updated. zsh and bash syntax highlighting support was enhanced.
- *Midnight Commander* was updated to 4.8.21.
- curl was updated to 7.61.1.
- GNU awk was updated to 4.2.1, GNU sed was updated to 4.5, GNU findutils were updated to 4.6.0, GNU coreutils were updated to 8.30.
- git was updated to 2.19.1, mercurial (hg) was updated to 4.6.1.
- vim was updated to 8.1.436, nano and joe editors were updated as well.
- Ghostscript was updated to 9.25.
- htop was ported to illumos and version 2.2.0 added, top now works correctly in batch mode.
- less was updated to version 530.
- mutt was updated to 1.10.1.

Development tools and libraries

- Added new compiler: GCC 8.2.0. openMPI was updated to 3.1.2, binutils were updated to 2.31.1.
- cmake was updated to 3.12.3.
- ninja was updated to 1.8.2.
- nasm was updated to 2.13.03.
- cpuid 1.6.3 was added.
- hwloc was updated to ABI incompatible 2.0.1.

- PETSc was updated to 3.7.7, eigen3 to 3.3.5, arpack to 3.6.3.
- clang is now compiled 64-bit-only.
- Python 3.5 was added, many python modules are now shipped for Python 3.5 as well as for 2.7 and 3.4.
- Python 3.4 was updated to 3.4.9, Python 2.7 was updated to 2.7.15.
- rust 1.29.1 was added.
- ccl (Clozure Common Lisp) version 1.11.5 was added and is used for compilation of pgloader instead of sbcl (Steel Bank Common Lisp).
- sbcl threading support was disabled, as it was broken after KPTI changes.
- OpenJDK 8 was updated to 1.8.172.
- libpqqx was updated to ABI-incompatible 6.2.4 version
- cherry.py was updated to 17.3.0.
- Pango was updated to 1.42.4.
- PCRE was updated to 8.42, PCRE2 10.31 was added.
- dejagnu was updated to 1.6.1.

Server software

- KVM hypervisor was updated with patches from Joyent port to work with latest illumos. Now KVM zone brand is supported and users can manage their VMs as illumos zones (see documentation [here](#)).
- QEMU now supports GUI console (VNC and serial consoles are available as well).
- OpenSSH was updated to 7.8p1.
- PostgreSQL versions 9.4 thru 10 were updated to their latest minor versions.
- MariaDB 10.1 was updated, MariaDB 10.3 was added. Percona Server 5.6 and 5.7 were updated. Berkeley DB was updated as well.
- MongoDB 3.4 was updated. MongoDB 4.0 was added.
- Apache HTTP 2.4 was updated to 2.4.35.
- Apache Tomcat 6 was dropped. Tomcat 8 was updated to 8.0.53.
- Postfix was updated to 3.3.1. Configuration format was changed.
- Samba was updated to 4.8.5.
- Node.js was updated to 6.14.4 and 8.12.0, version 10.10.0 was added and version 7 was removed.
- Salstack 2018.3.2 was added.
- clamav was updated to 0.100.2.
- haproxy was updated to 1.8.14.
- znapzend 0.18.0 was added.

A lot of other bug fixes and minor software updates are included.

Automated test tool/framework performs installation image generation and testing on a regular basis.

Userland components were patched to build with GCC 8.2 and published to the testing repository.

illumos

As always, we are proud to ship the latest illumos-gate bits ([42a3762](#)).

Drivers

- [9506](#) QLogic QL41000/45000 series devices are supported.
- [9693](#) NVMe from ESXi 6.7 is now usable.
- [9249](#) NVMe works as a system crash dump device.

New features

- [8158](#) Named Threads API was added.
- [6375](#) Native name demangling support for C++ was added (binary-only libdemangle.so from Sun Studio is still present).
- [9815](#) Basic AHCI enclosure services.
- [1700](#) Add SCSI UNMAP support.
- [8115](#) Parallel `zfs mount` is now supported.
- [9782](#) `eventfd(3C)` event notification works in zones.
- [9664](#) Support for UEFI32 (even on 64-bit machines) was added.
- [8548](#) `memset_s(3C)` was ported from FreeBSD.

Important changes

- A lot of fixes by Toomas Soome make illumos closer to be compiled by GCC 7 and newer compilers.
- [9812](#) headers are now free from excessive SUS compiler checks, hence application porting should be easier.
- [9627](#) 32-bit boot archive is not being generated.
- [9598](#) Eager FPU restore defeats side channel attacks. See [CVE-2018-3665](#).