

Popular Software

This is a list of popular freely-available open source server-related software available through Oracle's Userland-gate consolidation.

Consider it only as a guide for userland software currently being provided for the OpenIndiana distribution. If you have a bug or RFE for any of the software on this list then please review or create a 'New Issue' on bugs.openindiana.org and assign to the 'OI-Userland' team for their review. Any OI distro-related user discussions are usually handled over in the openindiana-discuss mailing list or openindiana IRC channel.

OI-IPS package repos:

- pkg.openindiana.org/hipster
- pkg.openindiana.org/hipster-encumbered

External package repos:

- <http://sfe.opencsw.org> Blog with resources about spec-files-extra packaging projekt. It is maintained and uses an automatic build system. Hosting is kindly received from OpenCSW project, but contained packages are all **native** SFE packages not OpenCSW ones).
To see the list of currently available packages: <http://sfe.opencsw.org/localhostoih> and see the repository with even more build recipes: <https://svn.code.sf.net/p/pkgbuild/code/spec-files-extra/trunk/> (see subdir encumbered and experimental as well). Please ask for a new package to be compiled / added on [sfepackages at g mail dot com](mailto:sfepackages@gmail.com) or on the blog.

OI-IPS package repos: (Currently not maintained, but may contain still valuable software. Volunteers are very welcome! You can get training on how to build/update/maintain those packages. Ask for tomww on irc channel #oi-dev)

- pkg.openindiana.org/sfe
- pkg.openindiana.org/sfe-encumbered

Page Maintainer: Ken Mays

Below: List of packages on pkg.openindiana.org (check this?)

| | |
|--------------------------------|----------|
| a2ps | 4.14 |
| aalib | 1.4rc5 |
| acpidump | 20071116 |
| ant | 1.9.4 |
| antlr | 2.7.7 |
| apache2 | 2.2.29 |
| apache24 | 2.4.12 |
| apache2-modules/mod_dtrace | 0.3.1 |
| apache2-modules/mod_fcgid | 2.3.9 |
| apache2-modules/mod_jk | 1.2.40 |
| apache2-modules/mod_perl | 2.0.4 |
| apache2-modules/mod_proxy_html | 3.1.1 |
| apache2-modules/mod_security2 | 2.8.0 |
| apache2-modules/mod_wsgi | 4.3.0 |
| apr-1_5 | 1.5.1 |
| apr-util-1_5 | 1.5.4 |

| | |
|------------------------|----------|
| areca | 7.1 |
| asciidoc | 8.6.8 |
| autoconf | 2.69 |
| autogen | 5.16.2 |
| automake/automake-110 | 1.10.5 |
| automake/automake-111 | 1.11.6 |
| automake/automake-1.15 | 1.15 |
| bash | 4.2.45 |
| bcc | 0.16.17 |
| beanshell | 2.0b4 |
| berkeleydb | 5.3.21 |
| bind | 9.9.7-P2 |
| binutils | 2.25.1 |
| bison | 2.3 |
| bzip2 | 1.0.6 |
| cdrtools | 3.1a22 |
| check | 0.9.14 |
| clisp | 2.49 |
| cmake | 2.8.12.2 |
| common | 0.5.11 |
| conflict | 20140723 |
| convmv | 1.15 |
| coreutils | 8.23 |
| cups | 1.4.8 |
| curl | 7.42.1 |
| cvs | 1.12.13 |
| daq | 2.0.2 |
| dejagnu | 1.5.3 |
| diffstat | 1.59 |
| diffutils | 3.3 |
| dnsmasq | 2.68 |
| doxygen | 1.8.9 |
| ejabberd | 2.1.13 |
| elinks | 0.11.7 |
| emacs | 24.3 |
| enscript | 1.6.4 |
| erlang | 17.5 |
| fastcgi | 2.4.0 |
| fetchmail | 6.3.22 |
| findutils | 4.5.14 |
| flex | 2.5.35 |

| | |
|--------------------|--------------|
| foomatic/db | 20080903 |
| foomatic/db-engine | 3.0-20080903 |
| foomatic/filters | 4.0.15 |
| foomatic/fppd | 20080818 |
| fping | 2.4b2 |
| gawk | 3.1.8 |
| gcc3 | 3.4.3 |
| gcc47 | 4.7.4 |
| gcc48 | 4.8.5 |
| gd2 | 2.0.35 |
| gdb | 7.6.2 |
| gdbm | 1.8.3 |
| getopt | 1.1.6 |
| gettext | 0.19.3 |
| ggrep | 2.2 |
| ghostscript | 9 |
| git | 1.9.4 |
| gnu-gs-fonts-other | 6 |
| gnu-gs-fonts-std | 6 |
| gnump | 5.0.5 |
| gnupg | 2.0.27 |
| gnuplot | 4.6.0 |
| gnupth | 2.0.7 |
| gnutls | 2.8.6 |
| gocr | 0.5 |
| gpatch | 2.7.1 |
| gperf | 3.0.3 |
| gpgme | 1.5.3 |
| grails | 1.0.3 |
| graphviz | 2.28.0 |
| groff | 1.22.2 |
| gtar | 1.27.1 |
| guile | 1.8.6 |
| gutenprint | 5.2.7 |
| gzip | 1.5 |
| hal-cups-utils | 0.6.19 |
| help2man | 1.46.1 |
| hexedit | 1.2.13 |
| hplip | 3.15.7 |
| httping | 2.4 |
| hwdata | 0.5.11 |

| | |
|----------------|----------------|
| iftop | 0.17 |
| ilmbase | 1.0.1 |
| imagemagick | 6.8.3 |
| indent | 2.2.9 |
| iperf | 2.0.5 |
| ircii | 20141122 |
| isc-dhcp | 4.2.8 |
| jansson | 2.7 |
| javascript/jjv | 1.0.2 |
| jsl | 0.3.0 |
| junit | 4.11 |
| ksh93 | 93u 2011-02-08 |
| lcms | 1.19 |
| less | 458 |
| lftp | 4.3.1 |
| libarchive | 3.0.4 |
| libassuan | 2.2.0 |
| libconfuse | 2.6 |
| libdnet | 1.12 |
| libedit | 3.1 |
| libee | 0.4.1 |
| libestr | 0.1.9 |
| libevent | 1.4.14b |
| libexpat | 2.1.0 |
| libgsl | 1.16 |
| libidn | 1.19 |
| libksba | 1.3.2 |
| liblogging | 1.0.4 |
| libmcrypt | 2.5.8 |
| libmemcached | 0.16 |
| libmng | 1.0.10 |
| libnet | 1.1.5 |
| libpcap | 1.5.1 |
| libsync | 0.9.7 |
| libsigsegv | 2.6 |
| libsndfile | 1.0.23 |
| libssh2 | 1.4.2 |
| libtecla | 1.6.1 |
| libtool | 2.4.2 |
| libtorrent | 0.12.2 |
| libusb/ugen | 0.1.8 |

| | |
|-------------------------------|----------|
| libusb/wrapper | 0.1.8 |
| libxml2 | 2.9.2 |
| libxslt | 1.1.28 |
| lighttpd | 1.4.35 |
| links | 2.9 |
| logilab-astng | 0.24.0 |
| logilab-common | 0.58.2 |
| lua | 5.2.1 |
| lynx | 2.8.8 |
| m4 | 1.4.12 |
| mailman | 2.1.18-1 |
| make | 3.82 |
| mc | 4.8.13 |
| meld | 1.8.6 |
| memcached | 1.4.24 |
| memcached-java | 2.0.1 |
| mercurial | 3.4.2 |
| mlocate | 0.25 |
| mpc | 0.9 |
| mpfr | 3.1.2 |
| mtr | 0.86 |
| mutt | 1.5.23 |
| mysql-common | 5.11 |
| ncftp | 3.2.3 |
| ncurses | 5.7 |
| nethack | 3.4.3 |
| net-snmp | 5.4.1.2 |
| nicstat | 1.95 |
| nmap | 6.25 |
| novnc | 0.5 |
| ntp | 4.2.8p3 |
| ocaml | 3.11.2 |
| openexr | 1.6.1 |
| open-fabrics | 1.5.3 |
| open-fabrics/ibutils | 1.5.7 |
| open-fabrics/infiniband-diags | 1.5.8 |
| open-fabrics/libibmad | 1.3.7 |
| open-fabrics/libibumad | 1.3.7 |
| open-fabrics/libibverbs | 1.1.4 |
| open-fabrics/libmlx4 | 1.0.1 |
| open-fabrics/librdmacm | 1.0.14.1 |

| | |
|--------------------------------|----------|
| open-fabrics/libsdp | 1.1.108 |
| open-fabrics/opensm | 3.3.9 |
| open-fabrics/perftest | 1.3.0 |
| open-fabrics/qperf | 0.4.6 |
| open-fabrics/rds-tools | 2.0.4 |
| openldap | 2.4.30 |
| openscap | 1.2.3 |
| openssh | 6.8p1 |
| openstack/cinder | 2014.2.2 |
| openstack/common | 2014.2.2 |
| openstack/glance | 2014.2.2 |
| openstack/heat | 2014.2.2 |
| openstack/horizon | 2014.2.2 |
| openstack/ironic | 2014.2.1 |
| openstack/keystone | 2014.2.2 |
| openstack/neutron | 2014.2.2 |
| openstack/nova | 2014.2.2 |
| openstack/swift | 2.2.2 |
| opendnsd | 1.0.1 |
| p7zip | 9.20.1 |
| pam_pkcs11 | 0.6.0 |
| parallel | 20121122 |
| pbzip2 | 1.1.6 |
| pconsole | 1 |
| pcre | 8.21 |
| perl/perl522 | 5.22.0 |
| perl_modules/authen-pam | 0.16 |
| perl_modules/cssh | 4.2.1 |
| perl_modules/DBI | 1.623 |
| perl_modules/net-ssleay | 1.52 |
| perl_modules/perl-tk | 804.31 |
| perl_modules/perl-x11-protocol | 0.56 |
| perl_modules/pmttools | 1.3 |
| perl_modules/xml-libxml | 2.121 |
| perl_modules/xml-parser | 2.41 |
| perl_modules/xml-sax | 0.99 |
| perl_modules/xml-sax-base | 1.8 |
| perl_modules/xml-simple | 2.2 |
| php/php54 | 5.4.43 |
| php/php55 | 5.5.27 |
| php/php56 | 5.6.11 |

| | |
|------------------------------|--------|
| pigz | 2.2.5 |
| pinentry | 0.7.6 |
| pixz | 1 |
| pkg-config | 0.23 |
| popt | 1.7 |
| postfix | 2.11.3 |
| privoxy | 3.0.23 |
| procmail | 3.22 |
| proftpd | 1.3.5 |
| psutils | p17 |
| ptp | 2.2.0 |
| pvc | 1.5.7 |
| pwgen | 2.06 |
| pylint | 0.25.2 |
| python-26 | 2.6.9 |
| python-27 | 2.7.10 |
| python-34 | 3.4.3 |
| python/alembic | 0.7.4 |
| python/amqp | 1.4.6 |
| python/anyjson | 0.3.3 |
| python/argparse | 1.2.1 |
| python/babel | 1.3 |
| python/barbicanclient | 3.0.1 |
| python/beautifulsoup4 | 4.2.1 |
| python/boto | 2.34.0 |
| python/ceilometerclient | 1.0.12 |
| python/cffi | 0.8.2 |
| python/cheetah | 2.4.4 |
| python/cherrypy | 3.1.2 |
| python/cinderclient | 1.1.1 |
| python/cliff | 1.9.0 |
| python/cmd2 | 0.6.7 |
| python/cov-core | 1.7 |
| python/coverage | 3.5 |
| python/cryptography | 0.8.2 |
| python/cssutils | 0.9.6 |
| python/d2to1 | 0.2.10 |
| python/decorator | 3.4.0 |
| python/django | 1.4.20 |
| python/django_compressor | 1.4 |
| python/django_openstack_auth | 1.1.9 |

| | |
|---------------------------|--------|
| python/django-appconf | 0.6 |
| python/django-pyscss | 1.0.6 |
| python/dnspython | 1.11.1 |
| python/dogpile.cache | 0.5.3 |
| python/dogpile.core | 0.4.1 |
| python/enum | 1.0.4 |
| python/eventlet | 0.15.2 |
| python/filechunkio | 1.5 |
| python/formencode | 1.2.6 |
| python/futures | 2.2.0 |
| python/glance_store | 0.1.10 |
| python/glanceclient | 0.15.0 |
| python/greenlet | 0.4.5 |
| python/heatclient | 0.2.12 |
| python/httplib2 | 0.8 |
| python/imaging | 1.1.7 |
| python/importlib | 1.0.2 |
| python/iniparse | 0.4 |
| python/ipaddr | 2.1.11 |
| python/ipython | 0.1 |
| python/ironicclient | 0.3.3 |
| python/iso8601 | 0.1.10 |
| python/jinja2 | 2.7.3 |
| python/jsonpatch | 1.1 |
| python/jsonpointer | 1 |
| python/jsonrplib | 0.1.3 |
| python/jsonschema | 2.0.0 |
| python/keystoneclient | 1.0.0 |
| python/keystonemiddleware | 1.3.1 |
| python/kombu | 3.0.7 |
| python/ldappool | 1 |
| python/ldtp | 2.1.1 |
| python/lesscpy | 0.9j |
| python/librabbitmq | 1.0.1 |
| python/lockfile | 0.9.1 |
| python/logutils | 0.3.3 |
| python/m2crypto | 0.21.1 |
| python/mako | 1.0.0 |
| python/markdown | 2.3.1 |
| python/markupsafe | 0.18 |
| python/mock | 1.0.1 |

| | |
|---------------------------|---------|
| python/mysql | 1.2.5 |
| python/netaddr | 0.7.13 |
| python/netifaces | 0.10.4 |
| python/networkx | 1.9.1 |
| python/neutronclient | 2.3.10 |
| python/nose | 1.3.6 |
| python/nose-cover3 | 0.0.4 |
| python/novaclient | 2.20.0 |
| python/oauthlib | 0.7.2 |
| python/ordereddict | 1.1 |
| python/oslo.config | 1.6.0 |
| python/oslo.context | 0.1.0 |
| python/oslo.db | 1.0.3 |
| python/oslo.i18n | 1.3.1 |
| python/oslo.messaging | 1.4.1 |
| python/oslo.middleware | 0.4.0 |
| python/oslo.serialization | 1.2.0 |
| python/oslo.utils | 1.2.1 |
| python/oslo.vmware | 0.8.0 |
| python/osprofiler | 0.3.0 |
| python/paramiko | 1.15.2 |
| python/passlib | 1.6.1 |
| python/paste | 1.7.5.1 |
| python/paste.deploy | 1.5.0 |
| python/pbr | 0.8.1 |
| python/pecan | 0.8.3 |
| python/pep8 | 1.6.2 |
| python/pip | 6.0.8 |
| python/ply | 3.1 |
| python/posix_ipc | 0.9.9 |
| python/prettytable | 0.7.2 |
| python/py | 1.4.26 |
| python/pyasn1 | 0.1.7 |
| python/pyasn1-modules | 0.0.5 |
| python/pybonjour | 1.1.1 |
| python/pycadf | 0.6.0 |
| python/pycountry | 0.17 |
| python/pycparser | 2.1 |
| python/pycups | 1.9.46 |
| python/pycurl | 7.19.0 |
| python/pydns | 2.3.6 |

| | |
|----------------------------|---------|
| python/pyflakes | 0.8.1 |
| python/pygments | 1.6 |
| python/pylxml | 2.3.3 |
| python/pyopenssl | 0.13 |
| python/pyparsing | 2.0.1 |
| python/pyrabbit | 1.0.1 |
| python/pyscss | 1.2.1 |
| python/pysendfile | 2.0.1 |
| python/pytest | 2.6.4 |
| python/pytest-capturelog | 0.7 |
| python/pytest-codecheckers | 0.2 |
| python/pytest-cov | 1.6 |
| python/python26 | 2.6.8 |
| python/python27 | 2.7.9 |
| python/python34 | 3.4.3 |
| python/python-ldap | 2.4.10 |
| python/python-memcached | 1.53 |
| python/pytz | 2014.1 |
| python/pywbem | 0.7.0 |
| python/pyyaml | 3.09 |
| python/quantumclient | 2.2.4.3 |
| python/repoze.lru | 0.6 |
| python/requests | 2.6.0 |
| python/retrying | 1.3.3 |
| python/rfc3986 | 0.2.0 |
| python/routes | 1.13 |
| python/saharaclient | 0.7.6 |
| python/scp | 0.8.0 |
| python/setuptools | 0.9.6 |
| python/setuptools-git | 1 |
| python/simplegeneric | 0.8.1 |
| python/simplejson | 3.6.5 |
| python/singledispatch | 3.4.0.3 |
| python/six | 1.9.0 |
| python/sqlalchemy | 0.9.8 |
| python/sqlalchemy-migrate | 0.9.1 |
| python/stevedore | 1.2.0 |
| python/suds | 0.4 |
| python/swiftclient | 2.3.1 |
| python/taskflow | 0.6.1 |
| python/tempita | 0.5.1 |

| | |
|-----------------------|-----------|
| python/tox | 1.8.1 |
| python/troveclient | 1.0.8 |
| python/twisted | 10.1.0 |
| python/twisted-web2 | 8.1.0 |
| python/unittest2 | 0.5.1 |
| python/virtualenv | 12.0.7 |
| python/waitress | 0.8.5 |
| python/warlock | 1.0.1 |
| python/webob | 1.2.3 |
| python/websocketify | 0.6.0 |
| python/webtest | 2.0.6 |
| python/wsme | 0.6.4 |
| python/xattr | 0.7.4 |
| python/zope-interface | 3.3.0 |
| quagga | 0.99.19 |
| quilt | 0.64 |
| rabbitmq | 3.1.3 |
| rdiff-backup | 1.3.3 |
| readline | 5.2 |
| rpm2cpio | 1.3 |
| rrdtool | 1.4.9 |
| rsync | 3.1.1 |
| rsyslog | 8.4.2 |
| rtorrent | 0.8.2 |
| ruby/facter | 2.1.0 |
| ruby/hiera | 1.3.4 |
| ruby/puppet | 3.6.2 |
| ruby/ruby-19 | 1.9.3p551 |
| ruby/ruby-22 | 2.2.2 |
| samba/mozldap | 6.0.7 |
| samba/samba | 4.1.17 |
| samba/samba36 | 3.6.25 |
| sane-backends | 1.0.19 |
| sane-frontends | 1.0.14 |
| screen | 4.2.1 |
| sed | 4.2.2 |
| sendmail | 8.15.1 |
| sg3_utils | 1.33 |
| slang | 2.2.4 |
| slib | 3b1 |
| slrn | 1.0.1 |

| | |
|----------------|----------|
| smp_utils | 0.97 |
| snort | 2.9.6.2 |
| sox | 14.4.0 |
| spawn-fcgi | 1.6.3 |
| squid | 3.5.4 |
| stdcxx | 4.2.1 |
| stunnel | 4.56 |
| subversion | 1.7.20 |
| sudo | 1.8.9.5 |
| swig | 3.0.5 |
| tcl/expect | 5.45 |
| tcl/tcl | 8.5.12 |
| tcl/tk | 8.5.12 |
| tcpdump | 4.7.4 |
| tcsch | 6.18.01 |
| texinfo | 4.13 |
| text-utilities | 2.25.2 |
| tidy | 1.0.0 |
| timezone | 2015e |
| tmux | 1.9 |
| tomcat | 6.0.44 |
| tomcat-8 | 8.0.23 |
| top | 3.8beta1 |
| tree | 1.5.3 |
| trousers | 0.3.6 |
| unixodbc | 2.3.1 |
| unrar | 4.2.4 |
| unzip | 6 |
| vim | 7.4.692 |
| w3m | 0.5.3 |
| watch | 3.3.10 |
| wdiff | 1.2.2 |
| webalizer | 2.21-02 |
| wget | 1.16 |
| which | 2.16 |
| wireshark | 1.12.5 |
| wxwidgets | 2.8.12 |
| xmlto | 0.0.26 |
| xorriso | 0.6.0 |
| xz | 5.2.1 |
| zip | 3 |

| | |
|------|-------|
| zlib | 1.2.8 |
| zsh | 5.0.7 |

See:

<https://github.com/OpenIndiana/oi-userland>

<https://hg.openindiana.org/upstream/oracle/userland-gate/>